

Worksheet No. 2-13

Peco Part No.	Product Line	Track Size	Description	Nominal Radius Metric	Nominal Radius Imperial	Angle	Length Metric	Length Imperial
SL-E995	Streamline	G-45 Code 250	Medium Radius Right Hand Turnout - Electrofrog	1219 mm	48 in	12 degrees	600 mm	23-5/8 in
SL-E996	Streamline	G-45 Code 250	Medium Radius Left Hand Turnout - Electrofrog	1219 mm	48 in	12 degrees	600 mm	23-5/8 in
SL-E895	Streamline	1 Code 200	Medium Radius Right Hand Turnout - Electrofrog	3050 mm	120 in	10 degrees	612 mm	24-1/8 in
SL-E896	Streamline	1 Code 200	Medium Radius Left Hand Turnout - Electrofrog	3050 mm	120 in	10 degrees	612 mm	24-1/8 in
SL-E695	Streamline	SM-32 Code 200	Medium Radius Right Hand Turnout - Electrofrog	1524 mm	60 in	8 degrees	510 mm	20-1/8 in
SL-E696	Streamline	SM-32 Code 200	Medium Radius Left Hand Turnout - Electrofrog	1524 mm	60 in	8 degrees	510 mm	20-1/8 in
SL-E697	Streamline	SM-32 Code 200	Medium Radius Y Turnout - Electrofrog	1413 mm	95 in	8 degrees	487 mm	19-5/32 in
SL-E791FB	Streamline	O Code 143	Medium Radius Right Hand Turnout - Electrofrog	1828 mm	72 in	8 degrees	416 mm	16-3/8 in
SL-E792FB	Streamline	O Code 143	Medium Radius Left Hand Turnout - Electrofrog	1828 mm	72 in	8 degrees	416 mm	16-3/8 in
SL-E791BH	Streamline	O Code 124	Medium Radius Right Hand Turnout - Electrofrog	1828 mm	72 in	8 degrees	416 mm	16-3/8 in
SL-E792BH	Streamline	O Code 124	Medium Radius Left Hand Turnout - Electrofrog	1828 mm	72 in	8 degrees	416 mm	16-3/8 in
SL-E797BH	Streamline	O Code 124	Medium Radius Y Turnout - Electrofrog	1828 mm	72 in	8 degrees	381 mm	15 in
SL-E794BH	Streamline	O Code 124	Long Crossing - Electrofrog	n/a	n/a	8 degrees	584 mm	23 in
SL-E790BH	Streamline	O Code 124	Double Slip - Electrofrog	n/a	n/a	8 degrees	584 mm	23 in
SL-E595	Streamline	O-16.5 Code 100	Medium Radius Right Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7-9/32 in
SL-E596	Streamline	O-16.5 Code 100	Medium Radius Left Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7-9/32 in
SL-E597	Streamline	O-16.5 Code 100	Y Turnout - Electrofrog	914 mm	36 in	22 degrees	197 mm	7-3/4 in
ST-240	Setrack	OO/HO Code 100	No. 2 Right Hand Turnout - Insulfrog	438 mm	17¼ in	22.5 degrees	168 mm	6-5/8 in
ST-241	Setrack	OO/HO Code 100	No. 2 Left Hand Turnout - Insulfrog	438 mm	17¼ in	22.5 degrees	168 mm	6-5/8 in
ST-244	Setrack	OO/HO Code 100	Curved Double Radius Right Hand Turnout - Insulfrog	438 mm + 505 mm	17¼ in + 19-7/8 in	11.25 degrees		
ST-245	Setrack	OO/HO Code 100	Curved Double Radius Left Hand Turnout - Insulfrog	438 mm + 505 mm	17¼ in + 19-7/8 in	11.25 degrees		
ST-247	Setrack	OO/HO Code 100	Medium Radius Y Turnout - Insulfrog	859.6 mm	33-27/32 in	11.25 degrees	170 mm	6-11/16 in
ST-250	Setrack	OO/HO Code 100	Medium Crossing - Insulfrog	n/a	n/a	22.5 degrees		
SL-97	Streamline	OO/HO Code 100	Small Radius Y Turnout - Insulfrog	610 mm	24 in	24 degrees	148 mm	5-13/16 in
SL-E97	Streamline	OO/HO Code 100	Small Radius Y Turnout - Electrofrog	610 mm	24 in	24 degrees	148 mm	5-13/16 in
SL-98	Streamline	OO/HO Code 100	Large Radius Y Turnout - Insulfrog	1828 mm	72 in	12 degrees	220 mm	8-5/8 in
SL-E98	Streamline	OO/HO Code 100	Large Radius Y Turnout - Electrofrog	1828 mm	72 in	12 degrees	220 mm	8-5/8 in
SL-91	Streamline	OO/HO Code 100	Small Radius Right Hand Turnout - Insulfrog	610 mm	24 in	12 degrees	185 mm	7 ¼ in
SL-E91	Streamline	OO/HO Code 100	Small Radius Right Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7 ¼ in
SL-92	Streamline	OO/HO Code 100	Small Radius Left Hand Turnout - Insulfrog	610 mm	24 in	12 degrees	185 mm	7 ¼ in

Worksheet No. 2-13

SL-E92	Streamline	OO/HO Code 100	Small Radius Left Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7 ¼ in
SL-E95	Streamline	OO/HO Code 100	Medium Radius Right Hand Turnout - Insulfrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in
SL-E95	Streamline	OO/HO Code 100	Medium Radius Right Hand Turnout - Electrofrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in
SL-E96	Streamline	OO/HO Code 100	Medium Radius Left Hand Turnout - Insulfrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in
SL-E96	Streamline	OO/HO Code 100	Medium Radius Left Hand Turnout - Electrofrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in
SL-E99	Streamline	OO/HO Code 100	Medium Radius 3-Way Turnout - Insulfrog	610 mm	24 in	12 degrees	220 mm	8-5/8 in
SL-E99	Streamline	OO/HO Code 100	Medium Radius 3-Way Turnout - Electrofrog	610 mm	24 in	12 degrees	220 mm	8-5/8 in
SL-E88	Streamline	OO/HO Code 100	Large Radius Right Hand Turnout - Insulfrog	1524 mm	60 in	12 degrees	258 mm	10-1/8 in
SL-E88	Streamline	OO/HO Code 100	Large Radius Right Hand Turnout - Electrofrog	1524 mm	60 in	12 degrees	258 mm	10-1/8 in
SL-E89	Streamline	OO/HO Code 100	Large Radius Left Hand Turnout - Insulfrog	1524 mm	60 in	12 degrees	258 mm	10-1/8 in
SL-E89	Streamline	OO/HO Code 100	Large Radius Left Hand Turnout - Electrofrog	1524 mm	60 in	12 degrees	258 mm	10-1/8 in
SL-E86	Streamline	OO/HO Code 100	Curved Double Radius Right Hand Turnout - Insulfrog	762 mm + 1524 mm	30 in + 60 in		256 mm	10-1/16 in
SL-E86	Streamline	OO/HO Code 100	Curved Double Radius Right Hand Turnout - Electrofrog	762 mm + 1524 mm	30 in + 60 in		256 mm	10-1/16 in
SL-E87	Streamline	OO/HO Code 100	Curved Double Radius Left Hand Turnout - Insulfrog	762 mm + 1524 mm	30 in + 60 in		256 mm	10-1/16 in
SL-E87	Streamline	OO/HO Code 100	Curved Double Radius Left Hand Turnout - Electrofrog	762 mm + 1524 mm	30 in + 60 in		256 mm	10-1/16 in
SL-E80	Streamline	OO/HO Code 100	Single Slip - Insulfrog	610 mm	24 in	12 degrees	249 mm	9-3/4 in
SL-E90	Streamline	OO/HO Code 100	Double Slip - Insulfrog	610 mm	24 in	12 degrees	249 mm	9-3/4 in
SL-E93	Streamline	OO/HO Code 100	Short Crossing - Insulfrog	n/a	n/a	24 degrees	127 mm	5 in
SL-E94	Streamline	OO/HO Code 100	Long Crossing - Insulfrog	n/a	n/a	12 degrees	249 mm	9-3/4 in
SL-E8351	Streamline	OO/HO Code 83	#5 Right Hand Turnout - Insulfrog	660 mm	26 in	11.4 degrees	211 mm	8¼ in
SL-E8351	Streamline	OO/HO Code 83	#5 Right Hand Turnout - Electrofrog	660 mm	26 in	11.4 degrees	211 mm	8¼ in
SL-E8352	Streamline	OO/HO Code 83	#5 Left Hand Turnout - Insulfrog	660 mm	26 in	11.4 degrees	211 mm	8¼ in
SL-E8352	Streamline	OO/HO Code 83	#5 Left Hand Turnout - Electrofrog	660 mm	26 in	11.4 degrees	211 mm	8¼ in
SL-E8361	Streamline	OO/HO Code 83	#6 Right Hand Turnout - Insulfrog	1092 mm	43 in	9.5 degrees	223.5 mm	9-3/16 in
SL-E8361	Streamline	OO/HO Code 83	#6 Right Hand Turnout - Electrofrog	1092 mm	43 in	9.5 degrees	223.5 mm	9-3/16 in
SL-E8362	Streamline	OO/HO Code 83	#6 Left Hand Turnout - Insulfrog	1092 mm	43 in	9.5 degrees	223.5 mm	9-3/16 in
SL-E8362	Streamline	OO/HO Code 83	#6 Left Hand Turnout - Electrofrog	1092 mm	43 in	9.5 degrees	223.5 mm	9-3/16 in
SL-E8381	Streamline	OO/HO Code 83	#8 Right Hand Turnout - Insulfrog	1702 mm	67 in	7.15 degrees	322 mm	12-11/16 in
SL-E8381	Streamline	OO/HO Code 83	#8 Right Hand Turnout - Electrofrog	1702 mm	67 in	7.15 degrees	322 mm	12-11/16 in
SL-E8382	Streamline	OO/HO Code 83	#8 Left Hand Turnout - Insulfrog	1702 mm	67 in	7.15 degrees	322 mm	12-11/16 in
SL-E8382	Streamline	OO/HO Code 83	#8 Left Hand Turnout - Electrofrog	1702 mm	67 in	7.15 degrees	322 mm	12-11/16 in
SL-E8364	Streamline	OO/HO Code 83	#6 Diamond Crossing - Insulfrog	n/a	n/a	9.5 degrees	305.7 mm	12 in
SL-E8364	Streamline	OO/HO Code 83	#6 Diamond Crossing - Electrofrog	n/a	n/a	9.5 degrees	305.7 mm	12 in
SL-E191	Streamline	OO/HO Code 75	Small Radius Right Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7-9/32 in
SL-E192	Streamline	OO/HO Code 75	Small Radius Left Hand Turnout - Electrofrog	610 mm	24 in	12 degrees	185 mm	7-9/32 in
SL-E195	Streamline	OO/HO Code 75	Medium Radius Right Hand Turnout - Electrofrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in

## PECO Turnout Dimensions

## Railway Modeller' Club of Queensland

## Worksheet No. 2-13

SL-E196	Streamline	OO/HO Code 75	Medium Radius Left Hand Turnout - Electrofrog	914 mm	36 in	12 degrees	219 mm	8-5/8 in
SL-E188	Streamline	OO/HO Code 75	Large Radius Right Hand Turnout - Electrofrog	1524 mm	60 in	12 degrees	258 mm	10-3/16 in
SL-E189	Streamline	OO/HO Code 75	Large Radius Left Hand Turnout - Electrofrog	1524 mm	60 in	12 degrees	258 mm	10-3/16 in
SL-E186	Streamline	OO/HO Code 75	Curved Double Radius Right Hand Turnout - Electrofrog	762 mm + 1524 mm	30 in + 60 in		255 mm	10-1/32 in
SL-E187	Streamline	OO/HO Code 75	Curved Double Radius Left Hand Turnout - Electrofrog	762 mm + 1524 mm	30 in + 60 in		255 mm	10-1/32 in
SL-180	Streamline	OO/HO Code 75	Single Slip - Insulfrog	610 mm	24 in	12 degrees	249 mm	9-13/16 in
SL-E180	Streamline	OO/HO Code 75	Single Slip - Electrofrog	610 mm	24 in	12 degrees	249 mm	9-13/16 in
SL-190	Streamline	OO/HO Code 75	Double Slip - Insulfrog	610 mm	24 in	12 degrees	249 mm	9-13/16 in
SL-E190	Streamline	OO/HO Code 75	Double Slip - Electrofrog	610 mm	24 in	12 degrees	249 mm	9-13/16 in
SL-E197	Streamline	OO/HO Code 75	Small Radius Y Turnout - Electrofrog	610 mm	24 in	24 degrees	148 mm	5-13/16 in
SL-E198	Streamline	OO/HO Code 75	Large Radius Y Turnout - Electrofrog	1829 mm	72 in	12 degrees	220 mm	8-5/8 in
SL-E199	Streamline	OO/HO Code 75	Asymmetric 3-Way Turnout - Electrofrog	1829 mm	72 in	12 degrees	273 mm	10-3/4 in
SL-193	Streamline	OO/HO Code 75	Short Crossing - Insulfrog	n/a	n/a	24 degrees	127 mm	5 in
SL-E193	Streamline	OO/HO Code 75	Short Crossing - Electrofrog	n/a	n/a	24 degrees	127 mm	5 in
SL-194	Streamline	OO/HO Code 75	Long Crossing - Insulfrog	n/a	n/a	12 degrees	249 mm	9-13/16 in
SL-E194	Streamline	OO/HO Code 75	Long Crossing - Electrofrog	n/a	n/a	12 degrees	249 mm	9-13/16 in
SL-E1495	Streamline	HOm Code 75	Medium Radius Right Hand Turnout - Electrofrog	508 mm	20 in	10 degrees	160 mm	6-5/16 in
SL-E1496	Streamline	HOm Code 75	Medium Radius Left Hand Turnout - Electrofrog	508 mm	20 in	10 degrees	160 mm	6-5/16 in
SL-E1486	Streamline	HOm Code 75	Curved Double Radius Right Hand Turnout - Electrofrog	457 mm + 609 mm	18 in + 24 in		237 mm	9-3/8 in
SL-E1487	Streamline	HOm Code 75	Curved Double Radius Left Hand Turnout - Electrofrog	457 mm + 609 mm	18 in + 24 in		237 mm	9-3/8 in
SL-E1493	Streamline	HOm Code 75	Diamond Crossing - Electrofrog	n/a	n/a	20 degrees	117 mm	4-5/8 in
SL-E1490	Streamline	HOm Code 75	Double Slip - Electrofrog	n/a	n/a	10 degrees	190.5 mm	7½ in
SL-E491	Streamline	OO9 Code 80	Small Radius Right Hand Turnout - Electrofrog	304 mm	12 in	19.5 degrees	125 mm	5 in
SL-E492	Streamline	OO9 Code 80	Small Radius Left Hand Turnout - Electrofrog	304 mm	12 in	19.5 degrees	125 mm	5 in
SL-E497	Streamline	OO9 Code 80	Medium Radius Y Turnout - Electrofrog	457 mm	18 in	22.5 degrees	109 mm	4-5/16 in
ST-5	Setrack	N Code 80	No. 1 Radius Right Hand Turnout - Insulfrog	228 mm	9 in	22.5 degrees	87 mm	3-7/16 in
ST-6	Setrack	N Code 80	No. 1 Radius Left Hand Turnout - Insulfrog	228 mm	9 in	22.5 degrees	87 mm	3-7/16 in
ST-7	Setrack	N Code 80	Short Crossing - Insulfrog	n/a	n/a	25 degrees	91 mm	3-19/32 in
SL-395	Streamline	N Code 80	Medium Radius Right Hand Turnout - Insulfrog	457 mm	18 in	14 degrees	123.7 mm	4-7/8 in
SL-E395	Streamline	N Code 80	Medium Radius Right Hand Turnout - Electrofrog	457 mm	18 in	14 degrees	123.7 mm	4-7/8 in
SL-396	Streamline	N Code 80	Medium Radius Left Hand Turnout - Insulfrog	457 mm	18 in	14 degrees	123.7 mm	4-7/8 in
SL-E396	Streamline	N Code 80	Medium Radius Left Hand Turnout - Electrofrog	457 mm	18 in	14 degrees	123.7 mm	4-7/8 in
SL-397	Streamline	N Code 80	Medium Radius Y Turnout - Insulfrog	762 mm	30 in	8 degrees	127 mm	5 in
SL-E397	Streamline	N Code 80	Medium Radius Y Turnout - Electrofrog	762 mm	30 in	8 degrees	127 mm	5 in

Worksheet No. 2-13

SL-388	Streamline	N Code 80	Large Radius Right Hand Turnout - Insulfrog	914 mm	36 in	8 degrees	160 mm	6-5/16 in
SL-E388	Streamline	N Code 80	Large Radius Right Hand Turnout - Electrofrog	914 mm	36 in	8 degrees	160 mm	6-5/16 in
SL-389	Streamline	N Code 80	Large Radius Left Hand Turnout - Insulfrog	914 mm	36 in	8 degrees	160 mm	6-5/16 in
SL-E389	Streamline	N Code 80	Large Radius Left Hand Turnout - Electrofrog	914 mm	36 in	8 degrees	160 mm	6-5/16 in
SL-386	Streamline	N Code 80	Curved Double Radius Right Hand Turnout - Insulfrog	457 mm + 914 mm	18 in + 36 in	10 degrees	157 mm	6-3/16 in
SL-E386	Streamline	N Code 80	Curved Double Radius Right Hand Turnout - Electrofrog	457 mm + 914 mm	18 in + 36 in	10 degrees	157 mm	6-3/16 in
SL-387	Streamline	N Code 80	Curved Double Radius Left Hand Turnout - Insulfrog	457 mm + 914 mm	18 in + 36 in	10 degrees	157 mm	6-3/16 in
SL-E387	Streamline	N Code 80	Curved Double Radius Left Hand Turnout - Electrofrog	457 mm + 914 mm	18 in + 36 in	10 degrees	157 mm	6-3/16 in
SL-394	Streamline	N Code 80	Long Crossing - Insulfrog	n/a	n/a	8 degrees	187 mm	7-3/8 in
SL-E391F	Streamline	N Code 55	Small Radius Right Hand Turnout - Electrofrog	305 mm	12 in	10 degrees	123 mm	4-27/32 in
SL-E392F	Streamline	N Code 55	Small Radius Left Hand Turnout - Electrofrog	305 mm	12 in	10 degrees	123 mm	4-27/32 in
SL-E395F	Streamline	N Code 55	Medium Radius Right Hand Turnout - Electrofrog	457 mm	18 in	10 degrees	137 mm	5-3/8 in
SL-E396F	Streamline	N Code 55	Medium Radius Left Hand Turnout - Electrofrog	457 mm	18 in	10 degrees	137 mm	5-3/8 in
SL-E397F	Streamline	N Code 55	Medium Radius Y Turnout - Electrofrog	610 mm	24 in	10 degrees	124 mm	4-7/8 in
SL-E388F	Streamline	N Code 55	Large Radius Right Hand Turnout - Electrofrog	914 mm	36 in	10 degrees	164 mm	6-7/16 in
SL-E389F	Streamline	N Code 55	Large Radius Left Hand Turnout - Electrofrog	914 mm	36 in	10 degrees	164 mm	6-7/16 in
SL-E386F	Streamline	N Code 55	Curved Double Radius Right Hand Turnout - Electrofrog	457 mm + 914 mm	18 in + 36 in		160 mm	6-5/16 in
SL-E387F	Streamline	N Code 55	Curved Double Radius Left Hand Turnout - Electrofrog	457 mm + 914 mm	18 in + 36 in		160 mm	6-5/16 in
SL-E393F	Streamline	N Code 55	Short Crossing - Electrofrog	n/a	n/a	20 degrees	104 mm	4-1/32 in
SL-E394F	Streamline	N Code 55	Long Crossing - Electrofrog	n/a	n/a	10 degrees	154 mm	6-1/16 in
SL-394F	Streamline	N Code 55	Long Crossing - Insulfrog	n/a	n/a	10 degrees	154 mm	6-1/16 in
SL-E380F	Streamline	N Code 55	Single Slip - Electrofrog	511 mm	20-1/8 in	10 degrees	154 mm	6-1/16 in
SL-380F	Streamline	N Code 55	Single Slip - Insulfrog	511 mm	20-1/8 in	10 degrees	154 mm	6-1/16 in
SL-E390F	Streamline	N Code 55	Double Slip - Electrofrog	511 mm	20-1/8 in	10 degrees	154 mm	6-1/16 in
SL-390F	Streamline	N Code 55	Double Slip - Insulfrog	511 mm	20-1/8 in	10 degrees	154 mm	6-1/16 in
SL-E383F	Streamline	N Code 55	Scissors Crossing - Electrofrog	457 mm	19 in	10 degrees	271 mm	10-11/16 in